

BLUTIDE

taps inspired by life



ORIGINAL RANGES

Crimson Range

Crimson – classic in design, the Crimson range adds a nostalgic serenity to your bathroom space, enhancing peace and creativity.

15

YEAR GUARANTEE
5 YEARS FOR ANY FINISH
OTHER THAN CHROME



JASWIC
APPROVED



CORROSION
RESISTANT



RADIANT
DIAMOND FINISH



SERVICES
SUPPORT



DISTRIBUTION SUB
SAHARAN AFRICA




WATERMARK
APPROVED



SABS
APPROVED



15mm Pillar Tap




CT00050
Chrome

15mm pillar tap comes with a plastic backnut. These are used on 2 tap hole basins and in some instances where just cold water is being installed you can install just 1 pillar tap.

Type: Conventional

15mm Bib Tap




CT00060
Chrome

15mm bib tap is a wall mounted tap that will usually be bought with a 15mm extension piece. The reach of the bib tap is 98mm.

Type: Conventional

Hose Bib Tap



*Only Use SABS Class
2or3 copper tube or
Flexible Hose*


CT00016

Chrome

15mm hose bib tap has a reach of 83mm and a 3/4" outlet.

Type: Conventional

15mm Extended Bib Tap



*Only Use SABS Class
2or3 copper tube or
Flexible Hose*


CT00065

Chrome

15mm extended bib tap is a wall mounted tap that has a reach of 128mm. It is supplied complete with a coverplate. There is no need to add an extension piece to this tap as it is designed to reach over the bath, basin or sink.

Type: Conventional

Basin Mixer Swivel Spout




CT00013
Chrome

The basin mixer with a swivel spout is used on 1 tap hole basins. It is supplied with 2 x 1/2" braided inlet tubes that are 350mm in length. The reach of the spout is 135mm.

Type: Conventional

Sink Mixer W/T Std Offset




CT00022
Chrome

The Crimson range wall type sink mixer has a swivel spout and the reach is 184mm. Included with the mixer are 2 x S-connections and coverplates. The inlet centres are 150mm apart and are adjustable from 130mm to 170mm.

Type: Conventional

Single Hole Sink Mixer




CT00019

Chrome

The Crimson range single hole sink mixer has a swivel spout and the reach is 185mm. Included with the mixer are 2 x 1/2" braided inlet tubes that are 350mm in length. It can be used on a double bowl or single bowl sink.

Type: Conventional

Prep Bowl Tap




CT00032

Chrome

The Crimson range prep bowl tap has a comfortable reach of 185mm and the height is 216mm.

Type: Conventional

Bath Mixer W/T Std Offset




CT00030
Chrome

Crimson range wall type bath mixer comes complete with a wall bracket, hand shower and hose. Included with the mixer are 2 x S-connections and coverplates. The inlet centres on this mixer are 150mm apart and are adjustable from 130mm to 170mm.

Type: Conventional

15mm U/T Stop Tap



Only Use SABS Class 2or3 copper tube



CT00000 (CxC)
CT00001 (MxM)
Chrome

15mm undertile stoptap C x C is supplied with 2 x compression fittings. Manufactured out of DZR brass the undertile complies with the national bylaws. Our spindle/headpart is supplied by one of the biggest headpart manufacturers in the world so you are assured of longevity of the product. All our undertiles go through intense quality control procedures before they are supplied to the market.

Type: Conventional



BLUTIDE

taps inspired by life

PO Box 1339, Sunninghill, Sandton, Gauteng, 2157, South Africa
+27 (0)11 656 2533 | info@blutide.co.za | www.blutide.com

All products shown in Blutide's catalogues and on any of Blutide's digital platforms, are the products available in the range at the time of publication. In the interest of product development and improvement, we reserve the right to exchange or substitute items when necessary or are unable to supply. The dimensions of products shown in Blutides catalogues and on any digital platforms are for reference only. In case there is a discrepancy between the dimensions published and that of the actual product, the latter shall be taken as standard. Blutide is committed to provide complete and up-to-date information but will not assume any liability for damages arising directly or indirectly from the use of our catalogues or website. The use of trademarks, product design and artwork is subject to license or agreement with Blutide's directors and design department. The design registrations and copyrights are protected by law and the use or reproduction outside the terms of an agreement is prohibited.

Errors and omissions excepted (E&OE).